



*Cancer is Not Our Destiny*

# The People's Cancer Incidence Screening Tool (PCIST)

*A Citizens' Project in Support of Dignity-Based Epidemiology in Pennsylvania*

## Community Cancer Incidence Report for Roscoe Borough, PA

Prepared 25-September-2025. Available at: [www.pcist.net](http://www.pcist.net)



# People's Cancer Incidence Screening Tool (PCIST)

1

We calculate the average annual crude incidence of 23 different types of cancer over a 20-year (2002-2021) period in a PA town, borough or municipality

2

We compare the local cancer incidence numbers to the national, state and county numbers to identify significant "cancer signals" with elevated rates

3

We take the median age of onset of each type of cancer and compare it with the median age of the town, county, PA and US populations to assess the effect of differences in population age on the cancer rates

4

We investigate and address probable causes of elevated "cancer signals", including heavily polluting industries; infections associated with cancer development; and predatory marketing of addictive toxins to vulnerable EJ communities

Cancer	U.S. Median Age of Onset
Brain and Nervous	61
Breast (F only)	62
Cervical	50
Colon and rectal	66
Esophageal	68
Hodgkin's Lymphoma	39 (bimodal, 20 and 55+)
Kidney and renal	65
Laryngeal	66
Leukemia	65-74, varies by type
Liver and bile	62 (liver) and 70 (bile)
Lung and bronchial	71
Melanoma (skin)	(skin, 66)
Myeloma	60
Non-Hodgkin's lymphoma	67
Oral and pharyngeal	64
Ovarian	63
Pancreatic	70
Prostate	66
Stomach	68
Testicular	33
Thyroid	51
Uterine	60
Urinary and bladder	73

## Cancer Rates Vary By Age

The U.S. national, PA state, PA county, and municipal/township/borough cancer incidence rates used in PCIST are crude rates. We derive these by taking the total number of invasive cancer cases that occurred in a specific population (<20 yrs, <30 yrs, adults 20+, and All ages — total, females & males) in relation to the total number of people in that specific segment of the population. This produces a value that represents the amount of cancer in a community relative to its relevant population size. These values are then compared to generate incidence ratios. In our community reports, we flag municipal “cancer signals” with a percentage rate equal to or more than 10% higher than the US, PA and County numbers.

It is important to note that most cancer rates increase with age. To help interpret the effect of a population's age distribution on its crude incidence rates, the following is provided:

- 1) A reference table (at left) with the median age of onset of each type of cancer in the U.S. as per the American Cancer Society
- 2) The relevant median population age for each municipality/ township/borough, the county, PA state, and the US nation
- 3) A chart that shows the precise population age distribution in 5-year increments, derived from the 2010 US Census figures that are used in PCIST's 20-year calculations

When analyzing cancer signals, it is important to note that (with the exception of Hodgkin's lymphoma and testicular cancer) a younger population's crude cancer incidence rates will be under-represented when compared with an older population.

PCIST uses publicly available data sources from the American Cancer Society; the PA Cancer Registry via the PA Department of Health; the CDC SEER and WONDER databases; and the U.S. Census' American Community Survey. None of these providing institutions are responsible for PCIST calculations, interpretations and reports.

Please visit [www.pcist.net](http://www.pcist.net) or contact [PCIST@pm.me](mailto:PCIST@pm.me) for a detailed explanation of the PCIST project and more information about the People's Cancer Incidence Screening Tool.

## MORE Air & Water Pollution: OUR CONTEXT for RISING CANCER

In the community of Roscoe Borough, residents have faced **elevated cancer rates for at least the past 20 years.**

### WHY? CUMULATIVE IMPACTS

Roscoe Borough is located in the most heavily fracked county in Pennsylvania, which is itself part of a large and growing **environmental justice zone** above the Marcellus Shale. Since 2004, thousands of oil and gas wells have been **hydraulically fractured**. Many residents now live within a few miles of dozens of active wells and multiple compressor stations. Energy companies often abandon unplugged oil and gas wells and contaminate drinking water sources with **fracking wastewater** – a toxic slurry of “industry secret” chemicals, radioactive particulate matter such as radium, and PFAS “forever chemicals” Located right along the Monongahela River, Roscoe Borough is exposed to pollution from steel mills, chemical plants, power plants, and other industries that has leaked into the river and carried downstream.

Residents also face significant legacy and contemporary pollution due to the long history of bituminous **coal mining** in southwestern Pennsylvania. Intensive agriculture with **chemical pesticides and herbicides** widely contaminates residents’ soil and water supplies. A network of state and inter-state highways, including the I-70 and I-79, brings a steady flow of trucks and **diesel emissions** into Washington County. The heavy pollution from all of these activities compounds and travels, producing **significant cumulative impacts** on residents’ health.

Additionally, Roscoe Borough residents require adequate medical screenings and treatments for **infections that can contribute to cancer**, such as HPV (cervical cancer), EBV (Hodgkin’s lymphoma), Hepatitis B and C (liver cancer), H. pylori (stomach cancer), and HIV (many cancers). In pursuit of profit, companies also sell already vulnerable residents **addictive products** that contain carcinogenic substances, such as tobacco and alcohol.

## TOTAL CANCER IN ROSCOE

During **2002-2021 (20 years)**, the average annual crude cancer incidence rate among all ages of the population of **Roscoe Borough** is greater than the corresponding rate for the **US; PA; & Washington County** by:

All Age Cancer in Roscoe	> US	> PA	> WashCo
Brain and Nervous System	327%	270%	248%
Esophageal	322%	230%	186%
Stomach	310%	266%	221%
Laryngeal	279%	216%	162%
Urinary Bladder	264%	169%	127%
Liver and Bile	241%	213%	198%
Lung and Bronchial	228%	172%	125%
Pancreatic	167%	117%	111%
Leukemia	146%	113%	93%
Thyroid	130%	63%	53%
Colon and Rectal	128%	86%	56%
Non-Hodgkin’s Lymphoma	113%	76%	59%
Oral and Pharyngeal	15%	5%	-18%

### 2010 Median Population Age:

Roscoe Borough’s population (48.8) is **older than** the US (36.9), PA (39.8) & WashCO (43.0).

◆Please visit [www.pcist.net](http://www.pcist.net) or contact [PCIST@pm.me](mailto:PCIST@pm.me) for more information about the People’s Cancer Incidence Screening Tool

## FEMALE CANCER IN ROSCOE

During **2002-2021 (20 years)**, the average annual crude cancer incidence rate among females of all ages in **Roscoe Borough** is greater than the corresponding rate for the **US; PA; & Washington County** by:

All Age Female Cancer in Roscoe	> US	> PA	> WashCo
Urinary Bladder	405%	265%	213%
Stomach	396%	363%	295%
Uterine	268%	168%	143%
Lung and Bronchial	266%	203%	154%
Cervical	243%	247%	208%
Colon and Rectal	120%	77%	52%
Non-Hodgkin's Lymphoma	117%	77%	56%
Pancreas	101%	63%	61%
Oral and Pharyngeal	83%	61%	18%
Breast	71%	53%	40%
Thyroid	42%	2%	-2%

**2010 Median Female Age:** The total female Roscoe Borough population (52.1) is **older than** the US (38.1), PA (41.2) & WashCo (44.4)

**2010 Median Male Age:** The total male Roscoe Borough population (45.7) is **older than** the US (35.6); PA (38.3) & WashCo (41.7)

◆ Please visit [www.pcist.net](http://www.pcist.net) or contact [PCIST@pm.me](mailto:PCIST@pm.me) for more information about the People's Cancer Incidence Screening Tool

## MALE CANCER IN ROSCOE

During **2002-2021 (20 years)**, the average annual crude cancer incidence rate among males of all ages in **Roscoe Borough** is greater than the corresponding rate for the **US; PA; & Washington County** by:

All Age Male Cancer in Roscoe	> US	> PA	> WashCo
Brain and Nervous System	736%	627%	600%
Esophageal	483%	356%	287%
Liver and Bile	419%	368%	372%
Laryngeal	415%	334%	263%
Thyroid	392%	248%	205%
Leukemia	270%	220%	192%
Stomach	264%	213%	179%
Pancreas	241%	179%	166%
Urinary Bladder	233%	146%	106%
Lung and Bronchial	193%	142%	99%
Colon and Rectal	138%	98%	63%
Non-Hodgkin's Lymphoma	113%	79%	64%
Myeloma	99%	80%	80%
Prostate	43%	27%	27%

# CANCER IN ROSCOE

## PEDIATRIC CANCER

During **2002-2021 (20 years)**, the average annual crude cancer incidence rate among **children aged 0-19 years** in **Roscoe Borough** is greater than the corresponding rate for the **US; PA; & Washington County** by:

Pediatric Cancer in Roscoe 0-19 years of age	> US	> PA	> WashCo
None	0	0	0

## YOUTH CANCER

During **2002-2021 (20 years)**, the average annual crude cancer incidence rate among **youth aged 0-29 years** in **Roscoe Borough** is greater than the corresponding rate for the **US; PA; & Washington County** by:

Youth Cancer in Roscoe 0-29 years of age	> US	> PA	> WashCo
Breast	3239%	3080%	3489%

◆ Please visit [www.pcist.net](http://www.pcist.net) or contact [PCIST@pm.me](mailto:PCIST@pm.me) for more information about the People's Cancer Incidence Screening Tool


◆ Roscoe Borough is located in the most heavily fracked county in Pennsylvania, which is itself part of a large and growing **environmental justice zone** above the Marcellus Shale.

## ADULT CANCER

During **2002-2021 (20 years)**, the average annual crude cancer incidence rate among **adults aged 20+** in **Roscoe Borough** is greater than the corresponding rate for the **US; PA; & Washington County** by:

Adult Cancer in Roscoe 20+ years of age	> US	> PA	> WashCO
Brain and Nervous System	319%	275%	246%
Esophageal	266%	190%	156%
Stomach	256%	220%	187%
Laryngeal	229%	178%	134%
Urinary Bladder	214%	137%	103%
Liver and Bile	196%	182%	168%
Uterine	190%	109%	98%
Lung and Bronchial	183%	140%	102%
Cervical	169%	175%	153%
Pancreas	130%	91%	88%
Leukemia	129%	119%	83%
Thyroid	102%	47%	39%
Colon and Rectal	97%	64%	40%
Non-Hodgkin's Lymphoma	87%	59%	44%
Prostate	41%	33%	29%
Breast	35%	21%	14%

## 2010 Roscoe Total Population Age Distribution



# PCIST's TIPS to Help Protect Our Families

**1. RUN AIR PURIFIERS IN OUR HOMES.** These machines **remove toxic particles** so that we don't inhale them into our lungs. This helps to prevent both cancer and asthma. The best ones have an **activated carbon filter** that also removes VOCs (volatile organic compounds). An air purifier handles a set amount of space, so we may need more than one (or to move the one we have when we go to bed). Found on Amazon and Walmart, Lowes, and Home Depot.

**DID YOU KNOW?** We can inexpensively build our own air purifier with a box fan and furnace filters. Google "How to make a Corsi-Rosenthal box" for directions. Try to use MERV activated carbon filters, which are available on Amazon and at Lowes and Home Depot.

**2. REPLACE GAS STOVES WITH ELECTRIC ONES.** Natural gas and propane stoves release invisible, odorless and toxic gases (including radon, benzene, nitrogen dioxide and methane) into our homes. These gases affect air quality throughout our homes, including in the bedrooms, and are known to cause asthma and cancer. It is much safer to cook with an electric stove.

**3. USE A WATER FILTER, ESPECIALLY IN THE KITCHEN.** These filters **remove harmful particles and toxic chemicals from our drinking and cooking water**. Some come as a pitcher that we fill with water from the tap, while others attach directly to the faucet. The **best filters also remove PFAS/PFOS – forever chemicals – which are known to be in the fracking waste that often contaminates drinking water sources**. Found on Amazon and in a wide range of department and home supply stores.

**4. AVOID ADDITIONAL FACTORS** that put addictive toxins in our bodies and increase cancer risk, such as **smoking**; breathing **second-hand smoke**; and **drinking alcohol**. Some **infections also contribute to causing cancer** such as **HPV** (cervical cancer), **EBV** (Hodgkin's lymphoma), **Hepatitis B and C** (liver cancer), **H. pylori** (stomach cancer), and **HIV** (many cancers). If you were exposed or have symptoms, ask a doctor for **testing and proper treatment**. All girls and women can also **get vaccinated against HPV** between the ages of 9 and 45.

**5. FIND AND JOIN ENVIRONMENTAL JUSTICE GROUPS IN YOUR COMMUNITY TO LEARN HOW TO FIGHT BACK** against the pollution that is causing asthma and cancer, among other diseases. Take a few minutes to **call local political leaders** and tell them that we **need clean air and clean water**. Use your voice to speak up – together we are very strong and loud!

See links on [www.pcist.net](http://www.pcist.net) for suggested environmental health organizations that you can join **to get connected and learn more**.